



Texas Water Development Board Groundwater Database Reports



Infrequent Constituent Report

County: Sabine

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
3625502							
	2 / 20 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		12	
	2 / 20 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
3625503							
	2 / 20 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		14	
3625504							
	2 / 20 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		107	
	2 / 20 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
3625505							
	2 / 20 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		12	
3625802							
	5 / 13 / 1998	1	00010	TEMPERATURE, WATER (CELSIUS)		20.2	
	4 / 24 / 2002	1	00010	TEMPERATURE, WATER (CELSIUS)		22.1	
	3 / 29 / 2006	1	00010	TEMPERATURE, WATER (CELSIUS)		20.9	
	10 / 13 / 2009	1	00010	TEMPERATURE, WATER (CELSIUS)		20.3	
	5 / 13 / 1998	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		295	
	5 / 13 / 1998	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	<	0.05	
	5 / 13 / 1998	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	<	0.1	
	5 / 13 / 1998	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		4.39	
	4 / 24 / 2002	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		7.41	
	3 / 29 / 2006	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		10.7	
	10 / 13 / 2009	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		4.84	
	5 / 13 / 1998	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.1	
	12 / 3 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		94	
	5 / 13 / 1998	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	4 / 24 / 2002	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	3 / 29 / 2006	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1	
	10 / 13 / 2009	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	5 / 13 / 1998	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		46.9	
	4 / 24 / 2002	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		91.6	
	3 / 29 / 2006	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		124	
	10 / 13 / 2009	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		27.8	
	5 / 13 / 1998	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	4 / 24 / 2002	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	3 / 29 / 2006	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	10 / 13 / 2009	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	5 / 13 / 1998	1	01020	BORON, DISSOLVED (UG/L AS B)	<	10	
	4 / 24 / 2002	1	01020	BORON, DISSOLVED (UG/L AS B)		136	
	3 / 29 / 2006	1	01020	BORON, DISSOLVED (UG/L AS B)	<	100	
	10 / 13 / 2009	1	01020	BORON, DISSOLVED (UG/L AS B)	<	51	
	5 / 13 / 1998	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	4 / 24 / 2002	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	3 / 29 / 2006	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	10 / 13 / 2009	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02	
	5 / 13 / 1998	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	4 / 24 / 2002	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	3 / 29 / 2006	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	10 / 13 / 2009	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1.02	
	5 / 13 / 1998	1	01035	COBALT, DISSOLVED (UG/L AS CO)		1.9	
	4 / 24 / 2002	1	01035	COBALT, DISSOLVED (UG/L AS CO)		2.15	
	3 / 29 / 2006	1	01035	COBALT, DISSOLVED (UG/L AS CO)		3	
	10 / 13 / 2009	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02	
	5 / 13 / 1998	1	01040	COPPER, DISSOLVED (UG/L AS CU)		22.2	
	4 / 24 / 2002	1	01040	COPPER, DISSOLVED (UG/L AS CU)		40.9	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	3 / 29 / 2006	1	01040	COPPER, DISSOLVED (UG/L AS CU)		16	
	10 / 13 / 2009	1	01040	COPPER, DISSOLVED (UG/L AS CU)		5.54	
	7 / 14 / 1976	1	01045	IRON, TOTAL (UG/L AS FE)		200.	
	3 / 23 / 1982	1	01045	IRON, TOTAL (UG/L AS FE)		200.	
	5 / 13 / 1998	1	01046	IRON, DISSOLVED (UG/L AS FE)		39	
	4 / 24 / 2002	1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50	
	3 / 29 / 2006	1	01046	IRON, DISSOLVED (UG/L AS FE)	<	30	
	10 / 13 / 2009	1	01046	IRON, DISSOLVED (UG/L AS FE)		227	
	5 / 13 / 1998	1	01049	LEAD, DISSOLVED (UG/L AS PB)		1.4	
	4 / 24 / 2002	1	01049	LEAD, DISSOLVED (UG/L AS PB)		4.66	
	3 / 29 / 2006	1	01049	LEAD, DISSOLVED (UG/L AS PB)		6	
	10 / 13 / 2009	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02	
	5 / 13 / 1998	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		20.4	
	4 / 24 / 2002	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		21.9	
	3 / 29 / 2006	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		24	
	10 / 13 / 2009	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		44.3	
	5 / 13 / 1998	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	4 / 24 / 2002	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	3 / 29 / 2006	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	10 / 13 / 2009	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02	
	5 / 13 / 1998	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	4 / 24 / 2002	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	3 / 29 / 2006	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	10 / 13 / 2009	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.02	
	5 / 13 / 1998	1	01065	NICKEL, DISSOLVED (UG/L AS NI)		5.3	
	4 / 24 / 2002	1	01065	NICKEL, DISSOLVED (UG/L AS NI)		3.83	
	10 / 13 / 2009	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.02	
	5 / 13 / 1998	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		62.7	
	4 / 24 / 2002	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		46.3	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	3 / 29 / 2006	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		38	
	10 / 13 / 2009	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		60	
	5 / 13 / 1998	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	4 / 24 / 2002	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	3 / 29 / 2006	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	10 / 13 / 2009	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02	
	5 / 13 / 1998	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		40.5	
	4 / 24 / 2002	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		298	
	3 / 29 / 2006	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		32	
	10 / 13 / 2009	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		38.7	
	5 / 13 / 1998	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	4 / 24 / 2002	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	3 / 29 / 2006	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	10 / 13 / 2009	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)		1.24	
	5 / 13 / 1998	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		18.5	
	4 / 24 / 2002	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		435	
	3 / 29 / 2006	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		1120	
	10 / 13 / 2009	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		11.2	
	5 / 13 / 1998	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		2.2	
	4 / 24 / 2002	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		3.82	
	3 / 29 / 2006	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		5	
	10 / 13 / 2009	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		2.07	
	5 / 13 / 1998	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	4 / 24 / 2002	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	3 / 29 / 2006	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	1	
	10 / 13 / 2009	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	3 / 29 / 2006	1	07012	TRITIUM IN WATER (TRITIUM UNITS)		2.46	0.12
	10 / 13 / 2009	1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	<	1.02	
	5 / 13 / 1998	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		4.0	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
3625803	4 / 24 / 2002	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		6	
	10 / 13 / 2009	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		22	
	10 / 13 / 2009	1	50938	ANION/CATION CHG BAL, PERCENT		-16.56	
	5 / 13 / 1998	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.02	
	4 / 24 / 2002	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.0515	
	3 / 29 / 2006	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.50	
	10 / 13 / 2009	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.02	
	10 / 13 / 2009	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.200	
	3 / 16 / 1993	1	00010	TEMPERATURE, WATER (CELSIUS)		19.3	
	3 / 16 / 1993	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		226.5	
	3 / 16 / 1993	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.02	
	3 / 16 / 1993	1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	3 / 16 / 1993	1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)		10.65	
	3 / 16 / 1993	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)		0.4	
	3 / 16 / 1993	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)		3.1	
	3 / 16 / 1993	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		188.	
	3 / 16 / 1993	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	2.0	
	3 / 16 / 1993	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	4.0	
	3 / 16 / 1993	1	01040	COPPER, DISSOLVED (UG/L AS CU)		9.7	
	12 / 7 / 1982	1	01045	IRON, TOTAL (UG/L AS FE)		1500.	
	3 / 16 / 1993	1	01046	IRON, DISSOLVED (UG/L AS FE)		70.2	
	3 / 16 / 1993	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	20.	
	3 / 16 / 1993	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		30.8	
	3 / 16 / 1993	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	3.0	
	3 / 16 / 1993	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		210.	
	3 / 16 / 1993	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.0	
	3 / 16 / 1993	1	01503	ALPHA, DISSOLVED (PC/L)		23	5
	3 / 16 / 1993	1	03503	BETA, DISSOLVED (PC/L)		20	4

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
3625901	3 / 16 / 1993	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		3.0	
	3 / 16 / 1993	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.1	
	3 / 16 / 1993	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.13	
3626901	12 / 3 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		47	
3633203	3 / 13 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		278	
3633206	7 / 23 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		8	
3633207	12 / 2 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		24	
3633401	12 / 3 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		156	
	6 / 8 / 1982	1	01045	IRON, TOTAL (UG/L AS FE)		700.	
	3 / 13 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		6	
3633403	3 / 13 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		17000.	
3633404	7 / 23 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		138	
3633701	12 / 2 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		108	
3633801	12 / 2 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		12	
3634202	3 / 13 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		4	
	5 / 10 / 1961	1	01045	IRON, TOTAL (UG/L AS FE)		190.	
	5 / 10 / 1961	1	01046	IRON, DISSOLVED (UG/L AS FE)		120.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
3634203							
	5 / 21 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		5	
3634302							
	5 / 21 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		25	
3634303							
	6 / 2 / 1998	1	00010	TEMPERATURE, WATER (CELSIUS)		24.3	
	4 / 24 / 2002	1	00010	TEMPERATURE, WATER (CELSIUS)		21.1	
	3 / 16 / 1993	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		158.4	
	6 / 2 / 1998	1	00090	OXIDATION REDUCTION POTENTIAL (ORP), MILLIVOLTS		173.3	
	3 / 16 / 1993	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)		0.02	
	6 / 3 / 1998	1	00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	<	0.05	
	3 / 16 / 1993	1	00613	NITRITE NITROGEN, DISSOLVED (MG/L AS N)	<	0.01	
	3 / 16 / 1993	1	00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)		0.18	
	3 / 16 / 1993	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	<	0.1	
	6 / 3 / 1998	1	00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	<	0.07	
	6 / 3 / 1998	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.05	
	4 / 24 / 2002	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.0838	
	6 / 3 / 1998	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	<	0.07	
	5 / 21 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		20	
	3 / 16 / 1993	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	1.0	
	6 / 3 / 1998	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	4 / 24 / 2002	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	3 / 16 / 1993	1	01005	BARIUM, DISSOLVED (UG/L AS Ba)		96.1	
	6 / 3 / 1998	1	01005	BARIUM, DISSOLVED (UG/L AS Ba)		152	
	4 / 24 / 2002	1	01005	BARIUM, DISSOLVED (UG/L AS Ba)		96.1	
	6 / 3 / 1998	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	4 / 24 / 2002	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6 / 3 / 1998	1	01020	BORON, DISSOLVED (UG/L AS B)		44	
	4 / 24 / 2002	1	01020	BORON, DISSOLVED (UG/L AS B)		186	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	3 / 16 / 1993	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	2.0	
	6 / 3 / 1998	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	4 / 24 / 2002	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	3 / 16 / 1993	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	4.0	
	6 / 3 / 1998	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.3	
	4 / 24 / 2002	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1	
	6 / 3 / 1998	1	01035	COBALT, DISSOLVED (UG/L AS CO)		2.8	
	4 / 24 / 2002	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	3 / 16 / 1993	1	01040	COPPER, DISSOLVED (UG/L AS CU)		20.8	
	6 / 3 / 1998	1	01040	COPPER, DISSOLVED (UG/L AS CU)		131	
	4 / 24 / 2002	1	01040	COPPER, DISSOLVED (UG/L AS CU)		74.3	
	7 / 14 / 1976	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	3 / 16 / 1993	1	01046	IRON, DISSOLVED (UG/L AS FE)		22.1	
	6 / 3 / 1998	1	01046	IRON, DISSOLVED (UG/L AS FE)		302	
	4 / 24 / 2002	1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50	
	3 / 16 / 1993	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	20.	
	6 / 3 / 1998	1	01049	LEAD, DISSOLVED (UG/L AS PB)		1.8	
	4 / 24 / 2002	1	01049	LEAD, DISSOLVED (UG/L AS PB)		3.49	
	3 / 16 / 1993	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		8.1	
	6 / 3 / 1998	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		17.9	
	4 / 24 / 2002	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		5.57	
	6 / 3 / 1998	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	4 / 24 / 2002	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6 / 3 / 1998	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	4 / 24 / 2002	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6 / 3 / 1998	1	01065	NICKEL, DISSOLVED (UG/L AS NI)		8.5	
	4 / 24 / 2002	1	01065	NICKEL, DISSOLVED (UG/L AS NI)		2.91	
	3 / 16 / 1993	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	3.0	
	6 / 3 / 1998	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		59	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
3634401	4 / 24 / 2002	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		35.0	
	6 / 3 / 1998	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	4 / 24 / 2002	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	3 / 16 / 1993	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		1800.	
	6 / 3 / 1998	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		464	
	4 / 24 / 2002	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		371	
	6 / 3 / 1998	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	4 / 24 / 2002	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6 / 3 / 1998	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		4.6	
	4 / 24 / 2002	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		15.0	
	6 / 3 / 1998	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		4.2	
	4 / 24 / 2002	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)	<	2	
	3 / 16 / 1993	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	2.0	
	6 / 3 / 1998	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	4 / 24 / 2002	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	3 / 16 / 1993	1	01503	ALPHA, DISSOLVED (PC/L)	<	2.0	
	3 / 16 / 1993	1	03503	BETA, DISSOLVED (PC/L)	<	5.0	
	3 / 16 / 1993	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		4.0	
	6 / 2 / 1998	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		22	
	4 / 24 / 2002	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		22	
	6 / 3 / 1998	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)	<	0.02	
	4 / 24 / 2002	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.0252	
	3 / 16 / 1993	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.13	
3634402	7 / 23 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		22	
3634403	7 / 23 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		18	
	7 / 23 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		14	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
3634404							
	7 / 24 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		129	
3634405							
	12 / 12 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		73	
	12 / 12 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
3634501							
	5 / 9 / 1942	1	01045	IRON, TOTAL (UG/L AS FE)		70.	
3634601							
	5 / 21 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		58	
	5 / 26 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		130	
3634602							
	5 / 21 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		4	
3634603							
	5 / 21 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		5	
3634604							
	7 / 24 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		6	
3634701							
	7 / 24 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		3	
3634903							
	7 / 17 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		4	
3635102							
	5 / 10 / 1961	1	01045	IRON, TOTAL (UG/L AS FE)		370.	
	5 / 10 / 1961	1	01046	IRON, DISSOLVED (UG/L AS FE)		70.	
3641202							
	7 / 18 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		157	
3641203							
	7 / 20 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		53	
3641204							

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
3641205	7 / 22 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		630	
	7 / 22 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		165	
	7 / 14 / 1976	1	01045	IRON, TOTAL (UG/L AS FE)		5700.	
	3 / 23 / 1982	1	01045	IRON, TOTAL (UG/L AS FE)		9100.	
3641206							
3641301	12 / 1 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		15	
	5 / 10 / 1961	1	01045	IRON, TOTAL (UG/L AS FE)		90.	
	5 / 10 / 1961	1	01046	IRON, DISSOLVED (UG/L AS FE)		30.	
3641302							
3641303	7 / 16 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		33	
	7 / 18 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		6	
3641304							
3641305	7 / 23 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		10	
	7 / 23 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		35	
3641601							
	6 / 25 / 2002	1	00010	TEMPERATURE, WATER (CELSIUS)		21.1	
	6 / 25 / 2002	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6 / 25 / 2002	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6 / 25 / 2002	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		32.7	
	6 / 25 / 2002	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6 / 25 / 2002	1	01020	BORON, DISSOLVED (UG/L AS B)		1220	
	6 / 25 / 2002	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	6 / 25 / 2002	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.61	
	6 / 25 / 2002	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
3641703	6 / 25 / 2002	1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.82	
	6 / 25 / 2002	1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50	
	6 / 25 / 2002	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6 / 25 / 2002	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		12.9	
	6 / 25 / 2002	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6 / 25 / 2002	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6 / 25 / 2002	1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	6 / 25 / 2002	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		145	
	6 / 25 / 2002	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	6 / 25 / 2002	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	6 / 25 / 2002	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6 / 25 / 2002	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	6 / 25 / 2002	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		31.0	
	6 / 25 / 2002	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6 / 25 / 2002	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		326	
	6 / 25 / 2002	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.249	
	6 / 25 / 2002	1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		12	
3641704	4 / 23 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		5	
	4 / 23 / 1963	1	01045	IRON, TOTAL (UG/L AS FE)		40.	
	4 / 23 / 1963	1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.	
3641705	4 / 23 / 1963	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		5	
	9 / 1 / 1948	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	4 / 23 / 1963	1	01045	IRON, TOTAL (UG/L AS FE)		20.	
	4 / 23 / 1963	1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	50.	
3641707	5 / 21 / 1942	1	01045	IRON, TOTAL (UG/L AS FE)		1200.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	4 / 25 / 2002	1	00010	TEMPERATURE, WATER (CELSIUS)		26.2	
	6 / 14 / 2005	1	00010	TEMPERATURE, WATER (CELSIUS)		26.6	
	5 / 19 / 2009	1	00010	TEMPERATURE, WATER (CELSIUS)		29.4	
	5 / 19 / 2009	1	00300	OXYGEN, DISSOLVED (MG/L)		1.8	
	4 / 25 / 2002	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	6 / 14 / 2005	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	5 / 19 / 2009	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.020	
	5 / 19 / 2009	1	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)		0.521	
	4 / 25 / 2002	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6 / 14 / 2005	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	5 / 19 / 2009	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2.04	
	4 / 25 / 2002	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		9.24	
	6 / 14 / 2005	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		8.71	
	5 / 19 / 2009	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		10.4	
	4 / 25 / 2002	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6 / 14 / 2005	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	5 / 19 / 2009	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1.02	
	4 / 25 / 2002	1	01020	BORON, DISSOLVED (UG/L AS B)		519	
	6 / 14 / 2005	1	01020	BORON, DISSOLVED (UG/L AS B)		574	
	5 / 19 / 2009	1	01020	BORON, DISSOLVED (UG/L AS B)		469	
	4 / 25 / 2002	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	6 / 14 / 2005	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02	
	5 / 19 / 2009	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1.02	
	4 / 25 / 2002	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.28	
	6 / 14 / 2005	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		2.74	
	5 / 19 / 2009	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)	<	1.02	
	4 / 25 / 2002	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6 / 14 / 2005	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02	
	5 / 19 / 2009	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1.02	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	4 / 25 / 2002	1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.55	
	6 / 14 / 2005	1	01040	COPPER, DISSOLVED (UG/L AS CU)		1.57	
	5 / 19 / 2009	1	01040	COPPER, DISSOLVED (UG/L AS CU)	<	1.02	
	4 / 25 / 2002	1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50	
	6 / 14 / 2005	1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51	
	5 / 19 / 2009	1	01046	IRON, DISSOLVED (UG/L AS FE)	<	51	
	4 / 25 / 2002	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6 / 14 / 2005	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02	
	5 / 19 / 2009	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1.02	
	4 / 25 / 2002	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		15.4	
	6 / 14 / 2005	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		13.5	
	5 / 19 / 2009	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		14.9	
	4 / 25 / 2002	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6 / 14 / 2005	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02	
	5 / 19 / 2009	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1.02	
	4 / 25 / 2002	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6 / 14 / 2005	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.02	
	5 / 19 / 2009	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1.02	
	4 / 25 / 2002	1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	5 / 19 / 2009	1	01075	SILVER, DISSOLVED (UG/L AS AG)	<	1.02	
	4 / 25 / 2002	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		25.3	
	6 / 14 / 2005	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		27.2	
	5 / 19 / 2009	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)	<	20	
	4 / 25 / 2002	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	6 / 14 / 2005	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02	
	5 / 19 / 2009	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1.02	
	4 / 25 / 2002	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	6 / 14 / 2005	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4.08	
	5 / 19 / 2009	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4.08	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
	4 / 25 / 2002	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	6 / 14 / 2005	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02	
	5 / 19 / 2009	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1.02	
	4 / 25 / 2002	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		7.78	
	6 / 14 / 2005	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		5.59	
	5 / 19 / 2009	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		8.59	
	4 / 25 / 2002	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		21.0	
	6 / 14 / 2005	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		20.2	
	5 / 19 / 2009	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		20.7	
	4 / 25 / 2002	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6 / 14 / 2005	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	5 / 19 / 2009	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4.08	
	5 / 19 / 2009	1	01503	ALPHA, DISSOLVED (PC/L)		2.1	2.3
	6 / 14 / 2005	1	04241	GROSS ALPHA RADIATION,TOTAL, PRODUCED WATER(pCi/L)		3.4	2.3
	6 / 14 / 2005	1	04242	GROSS BETA RADIATION, TOTAL, PRODUCED WATER(pCi/L)		1.8	1.8
	5 / 19 / 2009	1	09511	RADIUM 226, DISSOLVED, RADON METHOD, PC/L		2.18	1.17
	5 / 19 / 2009	1	22703	URANIUM, NATURAL, DISSOLVED, UG/L	<	1.02	
	4 / 25 / 2002	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		278	
	6 / 14 / 2005	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		271	
	5 / 19 / 2009	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		277	
	5 / 19 / 2009	1	50938	ANION/CATION CHG BAL, PERCENT		0.95	
	4 / 25 / 2002	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.115	
	6 / 14 / 2005	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.128	
	5 / 19 / 2009	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.13	
	5 / 19 / 2009	1	71890	MERCURY, DISSOLVED (UG/L AS HG)	<	0.200	
	5 / 19 / 2009	1	81366	RADIUM 228, DISSOLVED (PC/L AS RA-228)		3.2	1.71
	4 / 25 / 2002	1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		14	
	6 / 14 / 2005	1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		12	
	5 / 19 / 2009	1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		10	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
3641802	10 / 8 /1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		3	
3641803	7 / 27 /1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		115	
3642101	5 / 22 /1942	1	01045	IRON, TOTAL (UG/L AS FE)		90.	
3642201	7 / 22 /1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		10	
3642202	12 / 3 /1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		18	
	12 / 12 /1964	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
3642301	7 / 24 /1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		590	
3642401	10 / 9 /1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		150	
	10 / 9 /1964	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
3642402	10 / 10 /1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		2	
3642403	10 / 10 /1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		4	
3642404	10 / 10 /1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		5	
3642502	7 / 22 /1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		39	
3642601	12 / 1 /1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		80	
3642702	7 / 17 /1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		254	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
3642703							
	10 / 10 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		12	
3642801							
	3 / 6 / 1961	1	01045	IRON, TOTAL (UG/L AS FE)		2600.	
	3 / 6 / 1961	1	01046	IRON, DISSOLVED (UG/L AS FE)		210.	
3642802							
	3 / 13 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		130.	
	7 / 14 / 1976	1	01045	IRON, TOTAL (UG/L AS FE)	<	100.	
	3 / 13 / 1964	1	01046	IRON, DISSOLVED (UG/L AS FE)		70.	
3642804							
	10 / 8 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		7	
3642805							
	10 / 9 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		4	
3642806							
	10 / 9 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		12	
3642807							
	10 / 9 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		5	
3642808							
	10 / 9 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		155	
3642809							
	10 / 8 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		150	
	10 / 8 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
3642810							
	12 / 1 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		460	
	7 / 14 / 1976	1	01045	IRON, TOTAL (UG/L AS FE)	<	100.	
3643102							
	7 / 23 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		5	
	7 / 14 / 1976	1	01045	IRON, TOTAL (UG/L AS FE)		100.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
3643701							
	3 / 6 / 1961	1	01045	IRON, TOTAL (UG/L AS FE)		130.	
	3 / 6 / 1961	1	01046	IRON, DISSOLVED (UG/L AS FE)	<	10.	
3643801							
	9 / 24 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		50	
3643802							
	9 / 24 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		120	
	9 / 24 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		1200.	
3643804							
	6 / 24 / 2002	1	00010	TEMPERATURE, WATER (CELSIUS)		23.4	
	6 / 24 / 2002	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)		0.435	
	6 / 24 / 2002	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	6 / 24 / 2002	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		30.2	
	6 / 24 / 2002	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	6 / 24 / 2002	1	01020	BORON, DISSOLVED (UG/L AS B)		1580	
	6 / 24 / 2002	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	6 / 24 / 2002	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.31	
	6 / 24 / 2002	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	
	6 / 24 / 2002	1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.46	
	6 / 24 / 2002	1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50	
	6 / 24 / 2002	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	6 / 24 / 2002	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		28.6	
	6 / 24 / 2002	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	6 / 24 / 2002	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	6 / 24 / 2002	1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	6 / 24 / 2002	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		95.5	
	6 / 24 / 2002	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	6 / 24 / 2002	1	01090	ZINC, DISSOLVED (UG/L AS ZN)		4.53	
	6 / 24 / 2002	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
3649102	6 / 24 / 2002	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)	<	4	
	6 / 24 / 2002	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		36.0	
	6 / 24 / 2002	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	6 / 24 / 2002	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		302	
	6 / 24 / 2002	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.322	
	6 / 24 / 2002	1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		5	
3649104	5 / 19 / 1942	1	01045	IRON, TOTAL (UG/L AS FE)		20.	
3649106	5 / 19 / 1942	1	01045	IRON, TOTAL (UG/L AS FE)		50.	
3649109	4 / 26 / 1947	1	01045	IRON, TOTAL (UG/L AS FE)		300.	
3649110	7 / 18 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		7	
3649401	7 / 24 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		4	
3649402	7 / 24 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		6	
	4 / 25 / 2002	1	00010	TEMPERATURE, WATER (CELSIUS)		23.9	
	4 / 25 / 2002	1	00631	NITRITE PLUS NITRATE, DISSOLVED (MG/L AS N)	<	0.02	
	7 / 24 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		5	
	4 / 25 / 2002	1	01000	ARSENIC, DISSOLVED (UG/L AS AS)	<	2	
	4 / 25 / 2002	1	01005	BARIUM, DISSOLVED (UG/L AS BA)		14.8	
	4 / 25 / 2002	1	01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	<	1	
	4 / 25 / 2002	1	01020	BORON, DISSOLVED (UG/L AS B)		1820	
	4 / 25 / 2002	1	01025	CADMIUM, DISSOLVED (UG/L AS CD)	<	1	
	4 / 25 / 2002	1	01030	CHROMIUM, DISSOLVED (UG/L AS CR)		1.62	
	4 / 25 / 2002	1	01035	COBALT, DISSOLVED (UG/L AS CO)	<	1	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
3649701	4 / 25 / 2002	1	01040	COPPER, DISSOLVED (UG/L AS CU)		2.81	
	7 / 14 / 1976	1	01045	IRON, TOTAL (UG/L AS FE)	<	100.	
	4 / 25 / 2002	1	01046	IRON, DISSOLVED (UG/L AS FE)	<	50	
	4 / 25 / 2002	1	01049	LEAD, DISSOLVED (UG/L AS PB)	<	1	
	4 / 25 / 2002	1	01056	MANGANESE, DISSOLVED (UG/L AS MN)		8.21	
	4 / 25 / 2002	1	01057	THALLIUM, DISSOLVED (UG/L AS TL)	<	1	
	4 / 25 / 2002	1	01060	MOLYBDENUM, DISSOLVED, UG/L	<	1	
	4 / 25 / 2002	1	01065	NICKEL, DISSOLVED (UG/L AS NI)	<	1	
	4 / 25 / 2002	1	01080	STRONTIUM, DISSOLVED (UG/L AS SR)		41.0	
	4 / 25 / 2002	1	01085	VANADIUM, DISSOLVED (UG/L AS V)	<	1	
	4 / 25 / 2002	1	01090	ZINC, DISSOLVED (UG/L AS ZN)	<	4	
	4 / 25 / 2002	1	01095	ANTIMONY, DISSOLVED (UG/L AS SB)	<	1	
	4 / 25 / 2002	1	01106	ALUMINUM, DISSOLVED (UG/L AS AL)		5.27	
	4 / 25 / 2002	1	01130	LITHIUM, DISSOLVED (UG/L AS LI)		32.4	
	4 / 25 / 2002	1	01145	SELENIUM, DISSOLVED (UG/L AS SE)	<	4	
	4 / 25 / 2002	1	39086	ALKALINITY, FIELD, DISSOLVED AS CaCO3		342	
	4 / 25 / 2002	1	71870	BROMIDE, DISSOLVED, (MG/L AS BR)		0.271	
	4 / 25 / 2002	1	82244	ALKALINITY PHENOLPHTHALEIN FIELD DATA (MG/L)		22	
	5 / 19 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		50	
	3 / 7 / 1961	1	01045	IRON, TOTAL (UG/L AS FE)		460.	
	3 / 7 / 1961	1	01046	IRON, DISSOLVED (UG/L AS FE)		70.	
3649702	5 / 19 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		92	
3649703	5 / 19 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		72	
3649704	5 / 19 / 1964	1	01020	BORON, DISSOLVED (UG/L AS B)		40.	
	5 / 19 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		210.	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
3649705	5 / 19 / 1964	1	01046	IRON, DISSOLVED (UG/L AS FE)		10.	
	10 / 9 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		50	
	10 / 9 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
3650101	3 / 13 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		5	
3650102	10 / 8 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		5	
3650201	3 / 13 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		10	
3650301	3 / 6 / 1961	1	01045	IRON, TOTAL (UG/L AS FE)		80.	
	3 / 6 / 1961	1	01046	IRON, DISSOLVED (UG/L AS FE)		30.	
	10 / 7 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		190	
3650302	10 / 7 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	10 / 7 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		70	
	10 / 7 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
3650303	10 / 7 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		100	
	10 / 7 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	10 / 8 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		4	
3650304	12 / 2 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		32	
3650305	9 / 24 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		30	
3650306							
3651301							

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
3651401	9 / 24 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		200.	
	10 / 7 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		80	
3651402	10 / 7 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	10 / 7 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		90	
	10 / 7 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
3651403	10 / 7 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		50	
	10 / 7 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
3651404	10 / 7 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		150	
	10 / 7 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
3651405	10 / 8 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		50	
	10 / 8 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
3651406	10 / 8 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		30	
	10 / 8 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
3651601	9 / 24 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		50	
	9 / 24 / 1964	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
3748301	3 / 13 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		21	
3748303	12 / 2 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		8	
3748305	1 / 16 / 1965	1	00665	PHOSPHORUS, TOTAL (MG/L AS P)		2.5	

State Well Number	Date	Sample#	Storet Code	Description	Flag	Value	+ or -
3748601	1 / 16 / 1965	1	01020	BORON, DISSOLVED (UG/L AS B)		900.	
	1 / 16 / 1965	1	01045	IRON, TOTAL (UG/L AS FE)		50.	
	7 / 13 / 1976	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	1 / 16 / 1965	1	01055	MANGANESE, TOTAL (UG/L AS MN)	<	10.	
	7 / 21 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		18	
3748602	7 / 21 / 1964	1	01020	BORON, DISSOLVED (UG/L AS B)		900.	
	7 / 21 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		35	
3748603	7 / 21 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		46	
	7 / 22 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		4	
3748604	7 / 14 / 1976	1	01045	IRON, TOTAL (UG/L AS FE)		100.	
	7 / 22 / 1964	1	00900	HARDNESS, TOTAL (MG/L AS CaCO3)		3	
3748605							